
KA.SC.7.2.13




## ИНСТРУКЦИЯ ПО МОНТАЖУ комплекта электропроводки для фаркопа с 13-ми контактной розеткой




## Внимание!

1.					
2		1			
	•			1	
			1		


! .




























## RUS





```
Smart-connect KA.SC.7.2(
         ) (ISO1724),
                                        ),
                                                                                 12
                           9 15
                          .....-45 +55°C.
                                  .....0,0025 .
                                        .....18.
           ( / / )......78/50/25 .
                                                                              1,2.
                                                                             1,2.
0,001 (
                              0,5 ).
                   5W
                                                                LED
                            BSI (
        CAN-BUS(
-C
        Check-Control (
-C
        PDC(
1.
2.
3.
4.
                                                  6,
                                      15
                                                   15 .
    24
```

1. 2. 3. BSI ( 5 ( ), (PDC) PDC . IN-NC , NO , NC IN-N , PDC, ( 21. PDC, PDC(+12 ). PDC, 2. 2.2. ) 3. 2.3. PDC PDC <IN 23 22 PDC PDC **PDC** PDC PDC PDC

```
Alarm.)
                                     1316-
1,
       13)
                       Diag.)
      +12
                                          ( 15
)
                                    1416-
```