




Kit 1274

LAND ROVER Range Rover, 5-dr SUV, 02- / *03-

*North America



ISO 11154-E

THULE[®]
SWEDEN

Max.
75kg
Max.
165 lbs

480R/754

480

750

x2
x2
x2
x4

x2

x2
x2
x4
x4

x2
x2
x2






x2


271 **x4**


19 **x4**


x1

Kit











	X
LAND ROVER Range Rover, 5-dr SUV, 02- / *03-	56









	Y
LAND ROVER Range Rover, 5-dr SUV, 02- / *03-	55.5






	X inch	X mm
LAND ROVER Range Rover, 5-dr SUV, 02- / *03-	47 ⁵ / ₈ "	1211 mm



















	Y inch	Y mm
LAND ROVER Range Rover, 5-dr SUV, 02- / *03-	47 ¹ / ₂ "	1206 mm

4





LAND ROVER Range Rover, 5-dr SUV, 02- / *03-



5



	Y mm	Y inch
LAND ROVER Range Rover, 5-dr SUV, 02- / *03-	720 mm	28 ³ / ₈ "



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciēt pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól fűggetlenül szorítandó

GR Σφίγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






6





480R/754



480



750




i




1




2




i




1




2




i








1



2





THULE
SWEDEN

**ONE
KEY
SYSTEM**

		544 (x4)
		596 (x6)
		588 (x8)
NA		510 (x10)
EUR		452 (x12)
ASIA		